

Durx® 670A

55% Cellulose / 45% Polyester Nonwoven Cleanroom Wiper

Durx® 670A is a cellulose / polyester nonwoven wiper recommended for ISO Class 5 and above environments composed of a hydroentangled nonwoven blend of 55% cellulose and 45% polyester. This combination of

properties provides Durx® 670A with the level of absorbency, abrasion resistance and chemical compatibility required for controlled environments and applications where both cleanliness and economy are of the most importance.



Other ISO Class 5 and above nonwoven wipers

- Durx® 770
- Pro-Wipe® 750
- Pro-Wipe® 880

Key Attributes

- 55% cellulose / 45% polyester hydroentangled nonwoven blend
- No binders or other chemical additives

Benefits

- Excellent combination of the synthetic polyester strength and cleanliness with the absorbent characteristics of cellulose
- Smooth, highly absorbent and durable
- Low extractable levels and particle counts
- Chemically compatible with common cleaning and disinfecting solutions
- Autoclavable
- Economical

Applications

- Designed for use in ISO Class 5 and higher cleanroom environments
- General equipment wrap and wipe downs
- General purpose wiping applications
- Cleaning of lab equipment
- General wiping in component prep, compounding and wash areas
- Applying and removing cleaning and disinfecting solutions

Environmental

- Complies with RoHS
- 55% cellulose fiber content is biodegradable

Pre-Wetted Option

The same wiper material can be provided in pre-wetted formats for reduced VOC emissions, increased convenience, increased productivity, improved solvent control and cleaning protocol repeatability and reduced costs.

Sterile Validated Option

For aseptic processing areas, the same wiper material can be provided in a gamma irradiated validated sterile to a 10⁻⁶ sterility assurance level. Dry and pre-wetted versions available.

www.berkshire.co.jp

Contact: Tel: 81 3 4530 9883

Fax: 81 3 4530 9800

Email: master@berkshire.co.jp

America	Tel 1 413 528 2602	Fax 1 413 528 2614	info@berkshire.com
Europe	Tel + 44 (0) 1953 562800		enquiries@berkshire.uk.com
SE Asia	Tel 65 6252 4313	Fax 65 6252 4312	enquiries@berkshire.com.sg
Japan	Tel 81 3 4530 9883	Fax 81 3 4530 9800	master@berkshire.co.jp

Technical Data:

Attribute		Units	Value	Test Method
Basis Weight		g/m ²	68.0	TAPPI T-410
Caliper		µm	300	TAPPI T-411
Fibers	≥100µm	fibers/cm ²	130	IEST-RP-CC004.3, Sec 6.1.3 / Sec 6.2.2
Particles	≥0.5µm	x10 ⁹ /cm ²	6.3	IEST-RP-CC004.3, Sec 6.1.3 / Sec 6.2.1
Sorbency	Capacity	mL/m ²	307	IEST-RP-CC004.3, Sec 8.1 modified / Sec 8.2 modified
	Efficiency	mL/g	4.5	
	Rate	seconds	2	
Non-Volatile Residue	DI Water	g/m ²	0.040	IEST-RP-CC004.3, Sec 7.1.2
	IPA	g/m ²	0.0068	
Ions	Na ⁺	ppm	60	IEST-RP-CC004.3, Sec 7.2.2
	K ⁺	ppm	10	
	Ca ⁺⁺	ppm	20	
	Mg ⁺⁺	ppm	4.0	
	Cl ⁻	ppm	15	

Notes:

- Technical data represented in this table are typical values at the time of publication. These should not be used as product specifications.
- Due to differences in test methods applied and equipment utilized by different wiper manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions

Order Information:

Product	Number	Size	Shts/pk	Pks/cs	Style
Durx® 670A	DR670A.0404.10	4x4" (10x10cm)	1200	10	Stacked
Durx® 670A	DR670A.0606.15	6x6" (15x15cm)	300	15	Stacked
Durx® 670A	DR670A.0707.45	7x7" (18x18cm)	300	45	Stacked
Durx® 670A	DR670A.0909.10	9x9" (23x23cm)	300	10	Stacked
Durx® 670A	DR670A.0909.20	9x9" (23x23cm)	300	20	Stacked

Other Berkshire Products



Wipers




Mop Systems




Face Masks



Glove Liners



Documentation Systems



Swabs

www.berkshire.co.jp

Contact: Tel: 81 3 4530 9883 / master@berkshire.co.jp